ONDERSTEPOORT JOURNAL OF VETERINARY RESEARCH

Volume 65 • Numbers 1–4 • 1998

Author index

ABU ELZEIN, E.M.E.
A study on bluetongue virus infection in Saudi Arabia using sentinel ruminants—E.M.E. ABU ELZEIN, H. AITCHISON, A.I. AL-AFALEQ, A.M. AL-BASHIR, A.O. IBRAHIM and F.M.T. HOUSAWI 243–251

AITCHISON, H.
A study on bluetongue virus infection in Saudi Arabia using sentinel ruminants—E.M.E. ABU ELZEIN, H. AITCHISON, A.I. AL-AFALEQ, A.M. AL-BASHIR, A.O. IBRAHIM and F.M.T. HOUSAWI 243–251

Protein aggregation complicates the development of baculovirus-expressed African horsesickness virus serotype 5 VP2 subunit vaccines—M. DU PLESSIS, M. CLOETE, H. AITCHISON and A.A. VAN DIJK 321–329

AL-AFALEQ, A.I.
A study on bluetongue virus infection in Saudi Arabia using sentinel ruminants—E.M.E. ABU ELZEIN, H. AITCHISON, A.I. AL-AFALEQ, A.M. AL-BASHIR, A.O. IBRAHIM and F.M.T. HOUSAWI 243–251

AL-BASHIR, A.M.
A study on bluetongue virus infection in Saudi Arabia using sentinel ruminants—E.M.E. ABU ELZEIN, H. AITCHISON, A.I. AL-AFALEQ, A.M. AL-BASHIR, A.O. IBRAHIM and F.M.T. HOUSAWI 243–251

ALLEN, J.C.
Models for heartwater epidemiology: Practical implications and suggestions for future research—T. YONOW, C.C. BREWSTER, J.C. ALLEN and M.I. MELTZER 263–273

BAGNALL, R.J.
Review of tsetse flies and trypanosomosis in South Africa—KARIN KAPPMEIER, E.M. NEVILL and R.J. BAGNALL 195–203

BAMHARE, C.
Suspected cardiac glycoside intoxication in sheep and goats in Namibia due to *Ornithogalum nanodes* (Leighton)—C. BAMHARE 25–30

BARNARD, B.J.H.
Some epidemiological and economic aspects of a bluetongue-like disease in cattle in South Africa—1995/96 and 1997—B.J.H. BARNARD, G.H. GERDES and R. MEISWINKEL 145–151

BASTOS, A.D.S.
Detection and characterization of foot-and-mouth disease virus in sub-Saharan Africa—A.D.S. BASTOS 37–47

BAYLIS, M.
Morphological confirmation of the separate species status of *Culicoides (Avaritia) nudipalpis* Delfinado, 1961 and C. *(A.) imicola* Kieffer, 1913 (Diptera: Ceratopogonidae)—R. MEISWINKEL and M. BAYLIS 9–16

BEBORA, LILLY C.
Comparison of immune responses of two *Salmonella gallinarum* strains viewed as possible vaccines for fowl typhoid in Kenya—LILLY C. BEBORA, P.N. NYAGA and C.O. KIMORO 67–73

BINGHAM, J.
A nucleotide-specific polymerase chain reaction assay to differentiate rabies virus biotypes in South Africa—L.H. NEL J. BINGHAM, J.A. JACOBS and J.B. JAFTHA 297–303

BINTA, M.G
Serum biochemical values of farmed ostrich (*Struthio camelus*) in Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, J.F.W. ISA and L. MODISA ..... 189–193.

Coccidia oocysts in the faeces of farmed ostrich (*Struthio camelus*) chicks in Botswana—E.Z. MUSHI, J.F.W. ISA, R.G. CHABO, M.G. BINTA, R.W. KAPAATA, R.T. NDEBELE and K.C. CHAKALISA 281–284

BOOMKER, J.
Helminths and bot fly larvae of wild ungulates on a game ranch in Central Province, Zambia—U. ZIEGER, J. BOOMKER, A.E. CAULDWELL and I.G. HORAK 137–141

Spauligodon timbavatiensis n. sp. (Nematoda: Pharyngodonidae) from *Pachydactylus iturneri* (Sauria: Gekkonidae) in the Northern Province, South Africa—S.F.B.N. HERING-HAGENBECK and J. BOOMKER 153–158

Pentastomid infections in cichlid fishes in the Kruger National Park and the description of the infective larva of *Subtriquetra rileyi* n. sp.—K. JUNKER, J. BOOMKER and D.G. BOOYSE 159–167

Parasites of domestic and wild animals in South Africa. XXXV. Ixodid ticks and bot fly larvae in the Bontebok National Park—I.G. HORAK and J. BOOMKER 205–211

Experimental studies on the life-cycle of *Sebekia wedli* (Pentastomida: Sebekidae)—K. JUNKER, J. BOOMKER and D.G. BOOYSE 233–237

BOOYSE, D.G.
Pentastomid infections in cichlid fishes in the Kruger National Park and the description of the infective larva of *Subtriquetra rileyi* n. sp.—K. JUNKER, J. BOOMKER and D.G. BOOYSE 159–167

Experimental studies on the life-cycle of *Sebekia wedli* (Pentastomida: Sebekidae)—K. JUNKER, J. BOOMKER and D.G. BOOYSE 233–237

BOTHA, C.J.
Krimpsiekte in a sheep following a single dose of *Tylecodon ventricosus* (Burm. f.) Toelken and the isolation of tyledoside D from this plant species—C.J. BOTHA, T.S. KELLERMAN, R. ANITRA SCHULTZ, G.L. ERASMUS, R. VLEGGAAR and ELIZABETH RETIEF 17–23

BRAGG, R.R.
Correlation between ability of *Ornithobacterium rhinotracheale* to agglutinate red blood cells and susceptibility to fosfomycin—S.L. FITZGERALD, J.M. GREYLING and R.R. BRAGG 317–324

BREMER, C.W.
Detection of African horsesickness virus and discrimination between two equine orbivirus serogroups by reverse transcription polymerase chain reaction—C.W. BREMER and G.J. VILJOEN 1–8

BREWSTER, C.C.
Models for heartwater epidemiology: Practical implications and suggestions for future research—T. YONOW, C.C. BREWSTER, J.C. ALLEN and M.I. MELTZER 263–273

BRYSON, N.R.
The absence of clinical disease in cattle in communal grazing areas where farmers are changing from an intensive dipping programme to one of endemic stability to tick-borne disease—G.A. TICE, N.R. BRYSON, C.G. STEWART, B. DU PLESSIS and D.T. DE WAAL 169–175

BURRIDGE, M.J.
The distribution of heartwater in the highveld of Zimbabwe, 1980–1997—T.F. PETER, B.D. PERRY, C.J. O'CALLAGHAN, G.F. MEDLEY, W. SHUMBA, W. MADZIMA, M.J. BURRIDGE and S.M. MAHAN 177–187

CAULDWELL, A.E.
Dynamics of free-living ixodid ticks on a game ranch in the Central Province, Zambia—U. ZIEGER, I.G. HORAK and A.E. CAULDWELL 49–59

Ixodid tick infestations of wild birds and mammals on a game ranch in Central Province, Zambia—U. ZIEGER, I.G. HORAK, A.E. CAULDWELL and A.C. UYS 113–124

Helminths and bot fly larvae of wild ungulates on a game ranch in Central Province, Zambia—U. ZIEGER, J. BOOMKER, A.E. CAULDWELL and I.G. HORAK 137–141

CHABO, R.G.
Serum biochemical values of farmed ostrich (*Struthio camelus*) in Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, J.F.W. ISA and L. MODISA 189–193

Coccidia oocysts in the faeces of farmed ostrich (*Struthio camelus*) chicks in Botswana—E.Z. MUSHI, J.F.W. ISA, R.G. CHABO, M.G. BINTA, R.W. KAPAATA, R.T. NDEBELE and K.C. CHAKALISA 281–284

CHAKALISA, K.C.
Coccidia oocysts in the faeces of farmed ostrich (*Struthio camelus*) chicks in Botswana—E.Z. MUSHI, J.F.W. ISA, R.G. CHABO, M.G. BINTA, R.W. KAPAATA, R.T. NDEBELE and K.C. CHAKALISA 281–284

CHASE, C.C.
Light and electron microscopical observations on the terminal airways and alveoli of the lung of the SA (Cape) fur seal *Arctocephalus pusillus*—J.C. WESSELS and C.C. CHASE 253–262

CLOETE, M.
Protein aggregation complicates the development of baculovirus-expressed African horsesickness virus serotype 5 VP2 subunit vaccines—M. DU PLESSIS, M. CLOETE, H. AITCHISON and A.A. VAN DIJK 321–329

DALGLEISH, R.J.
Observations on the use of *Anaplasma centrale* for immunization of cattle against anaplasmosis in Zimbabwe—J.A. TURTON, T.C. KATSANDE, M.B. MATINGO, W.K. JORGENSEN, U. USHEWOKUNZE-OBATOLU and R.J. DALGLEISH 81–86

DE WAAL, D.T.
The absence of clinical disease in cattle in communal grazing areas where farmers are changing from an intensive dipping programme to one of endemic stability to tick-borne disease—G.A. TICE, N.R. BRYSON, C.G. STEWART, B. DU PLESSIS and D.T. DE WAAL 169–175

DE VOS, V.
Distribution of endocrine cells in the gut of the impala (*Aepyceros melampus*)—J.H. SCHOEMAN, V. DE VOS and G. VAN ASWEGEN 31–35

DREYER, KARIN
The efficacy of used engine oil against ticks on cattle—KARIN DREYER, L.J. FOURIE and D.J. KOK 275–279

Epidemiology of tick-borne diseases of cattle in Botshabelo and Thaba Nchu in the Free State Province—KARIN DREYER, L.J. FOURIE and D.J. KOK 285–289

Individual host variations in tick infestations of cattle in a resource-poor community—KARIN DREYER, L.J. FOURIE and D.J. KOK 291–296

Tick diversity, abundance and seasonal dynamics in a resource-poor urban environment in the Free State Province—KARIN DRYER, G.J. FOURIE and D.J. KOK 305–316

DU PLESSIS, B.
The absence of clinical disease in cattle in communal grazing areas where farmers are changing from an intensive dipping programme to one of endemic stability to tick-borne disease—G.A. TICE, N.R. BRYSON, C.G. STEWART, B. DU PLESSIS and D.T. DE WAAL 169–175

DU PLESSIS, D.H.
Selection of an scFv phage antibody that recognizes bluetongue virus from a large synthetic library and its use in ELISAs to detect viral antigen and antibodies—W. VAN WYNGAARDT and D.H. DU PLESSIS 125–131

DU PLESSIS, M.
Protein aggregation complicates the development of baculovirus-expressed African horsesickness virus serotype 5 VP2 subunit vaccines—M. DU PLESSIS, M. CLOETE, H. AITCHISON and A.A. VAN DIJK 321–329

ERASMUS, G.L.
Krimpsiekte in a sheep following a single dose of *Tylecodon ventricosus* (Burm. f.) Toelken and the isolation of tyledoside D from this plant species—C.J. BOTHA, T.S. KELLERMAN, R. ANITRA SCHULTZ, G.L. ERASMUS, R. VLEGGAAR and ELIZABETH RETIEF 17–23

FITZGERALD, S.L.
Correlation between ability of *Ornithobacterium rhinotracheale* to agglutinate red blood cells and susceptibility to fosfomycin—S.L. FITZGERALD, J.M. GREYLING and R.R. BRAGG 317–324

FOURIE, L.J.
The efficacy of used engine oil against ticks on cattle—KARIN DREYER, L.J. FOURIE and D.J. KOK 275–279

Epidemiology of tick-borne diseases of cattle in Botshabelo and Thaba Nchu in the Free State Province—KARIN DREYER, L.J. FOURIE and D.J. KOK 285–289

Individual host variations in tick infestations of cattle in a resource-poor community—KARIN DREYER, L.J. FOURIE and D.J. KOK 291–296

Tick diversity, abundance and seasonal dynamics in a resource-poor urban environment in the Free State Province—KARIN DRYER, G.J. FOURIE and D.J. KOK 305–316

GERDES, G.H.
Some epidemiological and economic aspects of a bluetongue-like disease in cattle in South Africa—1995/96 and 1997—B.J.H. BARNARD, G.H. GERDES and R. MEISWINKEL 145–151

GILCHRIST, FRANCES M.C.
Three new species of ciliated Protozoa from the hindgut of both white and black wild African rhinoceroses—W. VAN HOVEN, FRANCES M.C. GILCHRIST, H. LIEBENBERG and C.F. VAN DER MERWE 87–95

GREEFF, A.S.
The production of an auxotrophic marked, plasmid-cured *Salmonella* ser. Typhimurium as a live attenuated vaccine—MARTHA L. VAN DER WALT and A.S. GREEFF 213–220

GREYLING, J.M.
Correlation between ability of *Ornithobacterium rhinotracheale* to agglutinate red blood cells and susceptibility to fosfomycin—S.L. FITZGERALD, J.M. GREYLING and R.R. BRAGG 317–324

HENTON, M.
The clinical efficacy of enrofloxacin in the treatment of experimental bovine pneumonic pasteurellosis—P.N. THOMPSON, S.R. VAN AMSTEL and M. HENTON 105–112

HERING-HAGENBECK, S.F.B.N.
Spauligodon timbavatiensis n. sp. (Nematoda: Pharyngodonidae) from *Pachydactylus ituneri* (Sauria: Gekkonidae) in the Northern Province, South Africa—S.F.B.N. HERING-HAGENBECK and J. BOOMKER 153–158

HORAK, I.G.
Dynamics of free-living ixodid ticks on a game ranch in the Central Province, Zambia—U. ZIEGER, I.G. HORAK and A.E. CAULDWELL 49–59

Ixodid tick infestations of wild birds and mammals on a game ranch in Central Province, Zambia—U. ZIEGER, I.G. HORAK, A.E. CAULDWELL and A.C. UYS 113–124

Helminths and bot fly larvae of wild ungulates on a game ranch in Central Province, Zambia—U. ZIEGER, J. BOOMKER, A.E. CAULDWELL and I.G. HORAK 137–141

Parasites of domestic and wild animals in South Africa. XXXV. Ixodid ticks and bot fly larvae in the Bontebok National Park—I.G. HORAK and J. BOOMKER 205–211

HOUSAWI, F.M.T.
A study on bluetongue virus infection in Saudi Arabia using sentinel ruminants—E.M.E. ABU ELZEIN, H. AITCHISON, A.I. AL-AFALEQ, A.M. AL-BASHIR, A.O. IBRAHIM and F.M.T. HOUSAWI 243–251

HOVE, T.
Isolation and characterization of a *Babesia* species from *Rhipicephalus evertsi evertsi* ticks picked off a sable antelope (*Hippotragus niger*) which died of acute babesiosis—T. HOVE, N. SITHOLE, D. MUNODZANA and S. MASAKA 75–80

IBRAHIM, A.O.
A study on bluetongue virus infection in Saudi Arabia using sentinel ruminants—E.M.E. ABU ELZEIN, H. AITCHISON, A.I. AL-AFALEQ, A.M. AL-BASHIR, A.O. IBRAHIM and F.M.T. HOUSAWI 243–251

ISA, J.F.W.
Coccidia oocysts in the faeces of farmed ostrich (*Struthio camelus*) chicks in Botswana—E.Z. MUSHI, J.F.W. ISA, R.G. CHABO, M.G. BINTA, R.W. KAPAATA, R.T. NDEBELE and K.C. CHAKALISA 281–284

Serum biochemical values of farmed ostrich (*Struthio camelus*) in Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, J.F.W. ISA and L. MODISA 189–193

JACOBS, J.A.
A nucleotide-specific polymerase chain reaction assay to differentiate rabies virus biotypes in South Africa—L.H. NEL, J. BINGHAM, J.A. JACOBS and J.B. JAFTHA 297–303

JAFTHA, J.B.
A nucleotide-specific polymerase chain reaction assay to differentiate rabies virus biotypes in South Africa—L.H. NEL, J. BINGHAM, J.A. JACOBS and J.B. JAFTHA 297–303

JORGENSEN, W.K.
Observations on the use of *Anaplasma centrale* for immunization of cattle against anaplasmosis in Zimbabwe—J.A. TURTON, T.C. KATSANDE, M.B. MATINGO, W.K. JORGENSEN, U. USHEWOKUNZE-OBATOLU and R.J. DALGLEISH 81–86

JUNKER, K.
Pentastomid infections in cichlid fishes in the Kruger National Park and the description of the infective larva of *Subtriquetra rileyi* n. sp.—K. JUNKER, J. BOOMKER and D.G. BOOYSE 159–167

Experimental studies on the life-cycle of *Sebekia wedli* (Pentastomida: Sebekidae)—K. JUNKER, J. BOOMKER and D.G. BOOYSE 233–237

KAPAATA, R.W.
Coccidia oocysts in the faeces of farmed ostrich (*Struthio camelus*) chicks in Botswana—E.Z. MUSHI, J.F.W. ISA, R.G. CHABO, M.G. BINTA, R.W. KAPAATA, R.T. NDEBELE and K.C. CHAKALISA 281–284

KAPPMEIER, KARIN
Review of tsetse flies and trypanosomosis in South Africa—KARIN KAPPMEIER, E.M. NEVILL and R.J. BAGNALL 195–203

KATSANDE, T.C.
Observations on the use of *Anaplasma centrale* for immunization of cattle against anaplasmosis in Zimbabwe—J.A. TURTON, T.C. KATSANDE, M.B. MATINGO, W.K. JORGENSEN, U. USHEWOKUNZE-OBATOLU and R.J. DALGLEISH 81–86

KELLERMAN, T.S.
Krimpsiekte in a sheep following a single dose of *Tylecodon ventricosus* (Burm. f.) Toelken and the isolation of tyledoside D from this plant species—C.J. BOTHA, T.S. KELLERMAN, R. ANITRA SCHULTZ, G.L. ERASMUS, R. VLEGGAAR and ELIZABETH RETIEF 17–23

KHALIL, L.F.
The African monogenean gyrodactylid genus *Macrogyrodactylus* Malmberg, 1957, and the reporting of three species of the genus on *Clarias gariepinus* in South Africa—L.F. KHALIL and S.N. MASHEGO 223–231

KIMORO, C.O.
Comparison of immune responses of two *Salmonella gallinarum* strains viewed as possible vaccines for fowl typhoid in Kenya—LILLY C. BEBORA, P.N. NYAGA and C.O. KIMORO 67–73

KOK, D.J.
The efficacy of used engine oil against ticks on cattle—KARIN DREYER, L.J. FOURIE and D.J. KOK 275–279

Epidemiology of tick-borne diseases of cattle in Botshabelo and Thaba Nchu in the Free State Province—KARIN DREYER, L.J. FOURIE and D.J. KOK 285–289

Individual host variations in tick infestations of cattle in a resource-poor community—KARIN DREYER, L.J. FOURIE and D.J. KOK 291–296

Tick diversity, abundance and seasonal dynamics in a resource-poor urban environment in the Free State Province—KARIN DRYER, G.J. FOURIE and D.J. KOK 305–316

LIEBENBERG, H.
Three new species of ciliated Protozoa from the hindgut of both white and black wild African rhinoceroses—W. VAN HOVEN, FRANCES M.C. GILCHRIST, H. LIEBENBERG and C.F. VAN DER MERWE 87–95

MADZIMA, W.
The distribution of heartwater in the highveld of Zimbabwe, 1980–1997—T.F. PETER, B.D. PERRY, C.J. O'CALLAGHAN, G.F. MEDLEY, W. SHUMBA, W. MADZIMA, M.J. BURRIDGE and S.M. MAHAN 177–187

MAHAN, S.M.
The distribution of heartwater in the highveld of Zimbabwe, 1980–1997—T.F. PETER, B.D. PERRY, C.J. O'CALLAGHAN, G.F. MEDLEY, W. SHUMBA, W. MADZIMA, M.J. BURRIDGE and S.M. MAHAN 177–187

MASAKA, S.
Isolation and characterization of a *Babesia* species from *Rhipicephalus evertsi evertsi* ticks picked off a sable antelope (*Hippotragus niger*) which died of acute babesiosis—T. HOVE, N. SITHOLE, D. MUNODZANA and S. MASAKA 75–80

MASHEGO, S.N.
The African monogenean gyrodactylid genus *Macrogyrodactylus* Malmberg, 1957, and the reporting of three species of the genus on *Clarias gariepinus* in South Africa—L.F. KHALIL and S.N. MASHEGO 223–231

MATINGO, M.B.
Observations on the use of *Anaplasma centrale* for immunization of cattle against anaplasmosis in Zimbabwe—J.A. TURTON, T.C. KATSANDE, M.B. MATINGO, W.K. JORGENSEN, U. USHEWOKUNZE-OBATOLU and R.J. DALGLEISH 81–86

MEDLEY, G.F.
The distribution of heartwater in the highveld of Zimbabwe, 1980–1997—T.F. PETER, B.D. PERRY, C.J. O'CALLAGHAN, G.F. MEDLEY, W. SHUMBA, W. MADZIMA, M.J. BURRIDGE and S.M. MAHAN 177–187

MEISWINKEL, R.
Morphological confirmation of the separate species status of *Culicoides (Avaritia) nudipalpis* Delfinado, 1961 and C. *(A.) imicola* Kieffer, 1913 (Diptera: Ceratopogonidae)—R. MEISWINKEL and M. BAYLIS 9–16

Some epidemiological and economic aspects of a bluetongue-like disease in cattle in South Africa—1995/96 and 1997—B.J.H. BARNARD, G.H. GERDES and R. MEISWINKEL 145–151

MELTZER, M.I.
Models for heartwater epidemiology: Practical implications and suggestions for future research—T. YONOW, C.C. BREWSTER, J.C. ALLEN and M.I. MELTZER 263–273

MODISA, L.
Serum biochemical values of farmed ostrich (*Struthio camelus*) in Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, J.F.W. ISA and L. MODISA 189–193

MUNGA, L.K.
An epidemic of Besnoitiosis in cattle in Kenya—A.N. NJAGI, C.M. NDARATHI, P.N. NYAGA and L.K. MUNGA 133–136

MUNODZANA, D.
Isolation and characterization of a *Babesia* species from *Rhipicephalus evertsi evertsi* ticks picked off a sable antelope (*Hippotragus niger*) which died of acute babesiosis—T. HOVE, N. SITHOLE, D. MUNODZANA and S. MASAKA 75–80

MUSHI, E.Z.
Serum biochemical values of farmed ostrich (*Struthio camelus*) in Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, J.F.W. ISA and L. MODISA 189–193

Coccidia oocysts in the faeces of farmed ostrich (*Struthio camelus*) chicks in Botswana—E.Z. MUSHI, J.F.W. ISA, R.G. CHABO, M.G. BINTA, R.W. KAPAATA, R.T. NDEBELE and K.C. CHAKALISA 281–284

NDARATHI, C.M.
An epidemic of Besnoitiosis in cattle in Kenya—A.N. NJAGI, C.M. NDARATHI, P.N. NYAGA and L.K. MUNGA 133–136

NDEBELE, R.T.
Coccidia oocysts in the faeces of farmed ostrich (*Struthio camelus*) chicks in Botswana—E.Z. MUSHI, J.F.W. ISA, R.G. CHABO, M.G. BINTA, R.W. KAPAATA, R.T. NDEBELE and K.C. CHAKALISA 281–284

NEL, L.H.
A nucleotide-specific polymerase chain reaction assay to differentiate rabies virus biotypes in South Africa—L.H. NEL J. BINGHAM, J.A. JACOBS and J.B. JAFTHA 297–303

NEVILL, E.M.
Review of tsetse flies and trypanosomosis in South Africa—KARIN KAPPMEIER, E.M. NEVILL and R.J. BAGNALL 195–203

NJAGI, A.N.
An epidemic of Besnoitiosis in cattle in Kenya—A.N. NJAGI, C.M. NDARATHI, P.N. NYAGA and L.K. MUNGA 133–136

NYAGA, P.N.
Comparison of immune responses of two *Salmonella gallinarum* strains viewed as possible vaccines for fowl typhoid in Kenya—LILLY C. BEBORA, P.N. NYAGA and C.O. KIMORO 67–73

An epidemic of Besnoitiosis in cattle in Kenya—A.N. NJAGI, C.M. NDARATHI, P.N. NYAGA and L.K. MUNGA 133–1

O'CALLAGHAN, C.J.
The distribution of heartwater in the highveld of Zimbabwe, 1980–1997—T.F. PETER, B.D. PERRY, C.J. O'CALLAGHAN, G.F. MEDLEY, W. SHUMBA, W. MADZIMA, M.J. BURRIDGE and S.M. MAHAN 177–187

PARRISH, C.R.
Antigenic and genetic analysis of canine parvoviruses in southern Africa—A. STEINEL, E.H. VENTER, M. VAN VUUREN, C.R. PARRISH and U. TRUYEN 239–242

PERRY, B.D.
The distribution of heartwater in the highveld of Zimbabwe, 1980–1997—T.F. PETER, B.D. PERRY, C.J. O'CALLAGHAN, G.F. MEDLEY, W. SHUMBA, W. MADZIMA, M.J. BURRIDGE and S.M. MAHAN 177–187

PETER, T.F.
The distribution of heartwater in the highveld of Zimbabwe, 1980–1997—T.F. PETER, B.D. PERRY, C.J. O'CALLAGHAN, G.F. MEDLEY, W. SHUMBA, W. MADZIMA, M.J. BURRIDGE and S.M. MAHAN 177–187

RETIEF, ELIZABETH
Krimpsiekte in a sheep following a single dose of *Tylecodon ventricosus* (Burm. f.) Toelken and the isolation of tyledoside D from this plant species—C.J. BOTHA, T.S. KELLERMAN, R. ANITRA SCHULTZ, G.L. ERASMUS, R. VLEGGAAR and ELIZABETH RETIEF 17–23

SCHOEMAN, J.H.
Distribution of endocrine cells in the gut of the impala (*Aepyceros melampus*)—J.H. SCHOEMAN, V. DE VOS and G. VAN ASWEGEN 31–35

SCHULTZ, R. ANITRA
Krimpsiekte in a sheep following a single dose of *Tylecodon ventricosus* (Burm. f.) Toelken and the isolation of tyledoside D from this plant species—C.J. BOTHA, T.S. KELLERMAN, R. ANITRA SCHULTZ, G.L. ERASMUS, R. VLEGGAAR and ELIZABETH RETIEF 17–23

SHUMBA, W.
The distribution of heartwater in the highveld of Zimbabwe, 1980–1997—T.F. PETER, B.D. PERRY, C.J. O'CALLAGHAN, G.F. MEDLEY, W. SHUMBA, W. MADZIMA, M.J. BURRIDGE and S.M. MAHAN 177–187

SITHOLE, N.
Isolation and characterization of a *Babesia* species from *Rhipicephalus evertsi evertsi* ticks picked off a sable antelope (*Hippotragus niger*) which died of acute babesiosis—T. HOVE, N. SITHOLE, D. MUNODZANA and S. MASAKA 75–80

STEINEL, A.
Antigenic and genetic analysis of canine parvoviruses in southern Africa—A. STEINEL, E.H. VENTER, M. VAN VUUREN, C.R. PARRISH and U. TRUYEN 239–242

STEWART, C.G.
The absence of clinical disease in cattle in communal grazing areas where farmers are changing from an intensive dipping programme to one of endemic stability to tick-borne disease—G.A. TICE, N.R. BRYSON, C.G. STEWART, B. DU PLESSIS and D.T. DE WAAL 169–175

TEMBO, S.D.
Immunization of rabbits with *Amblyomma hebraeum* nymphal homogenates and implications for the host amplification system—S.D. TEMBO 97–103

THOMPSON, P.N.
The clinical efficacy of enrofloxacin in the treatment of experimental bovine pneumonic pasteurellosis—P.N. THOMPSON, S.R. VAN AMSTEL and M. HENTON 105–112

TICE, G.A.
The absence of clinical disease in cattle in communal grazing areas where farmers are changing from an intensive dipping programme to one of endemic stability to tick-borne disease—G.A. TICE, N.R. BRYSON, C.G. STEWART, B. DU PLESSIS and D.T. DE WAAL 169–175

TRUYEN, U.
Antigenic and genetic analysis of canine parvoviruses in southern Africa—A. STEINEL, E.H. VENTER, M. VAN VUUREN, C.R. PARRISH and U. TRUYEN 239–242

TURTON, J.A.
Observations on the use of *Anaplasma centrale* for immunization of cattle against anaplasmosis in Zimbabwe—J.A. TURTON, T.C. KATSANDE, M.B. MATINGO, W.K. JORGENSEN, U. USHEWOKUNZE-OBATOLU and R.J. DALGLEISH 81–86

USHEWOKUNZE-OBATOLU, U.
Observations on the use of *Anaplasma centrale* for immunization of cattle against anaplasmosis in Zimbabwe—J.A. TURTON, T.C. KATSANDE, M.B. MATINGO, W.K. JORGENSEN, U. USHEWOKUNZE-OBATOLU and R.J. DALGLEISH 81–86

UYS, A.C.
Ixodid tick infestations of wild birds and mammals on a game ranch in Central Province, Zambia—U. ZIEGER, I.G. HORAK, A.E. CAULDWELL and A.C. UYS 113–124

VAN AMSTEL, S.R.
The clinical efficacy of enrofloxacin in the treatment of experimental bovine pneumonic pasteurellosis—P.N. THOMPSON, S.R. VAN AMSTEL and M. HENTON 105–112

VAN ASWEGEN, G.
Distribution of endocrine cells in the gut of the impala (*Aepyceros melampus*)—J.H. SCHOEMAN, V. DE VOS and G. VAN ASWEGEN 31–35

VAN DER MERWE, C.F.
Three new species of ciliated Protozoa from the hindgut of both white and black wild African rhinoceroses—W. VAN HOVEN, FRANCES M.C. GILCHRIST, H. LIEBENBERG and C.F. VAN DER MERWE 87–95

VAN DER WALT, MARTHA L.
The production of an auxotrophic marked, plasmid-cured *Salmonella* ser. Typhimurium as a live attenuated vaccine—MARTHA L. VAN DER WALT and A.S. GREEFF 213–220

VAN DIJK, A.A
Protein aggregation complicates the development of baculovirus-expressed African horsesickness virus serotype 5 VP2 subunit vaccines—M. DU PLESSIS, M. CLOETE, H. AITCHISON and A.A. VAN DIJK 321–329

VAN HOVEN, W.
Three new species of ciliated Protozoa from the hindgut of both white and black wild African rhinoceroses—W. VAN HOVEN, FRANCES M.C. GILCHRIST, H. LIEBENBERG and C.F. VAN DER MERWE 87–95

VAN VUUREN, M.
Antigenic and genetic analysis of canine parvoviruses in southern Africa—A. STEINEL, E.H. VENTER, M. VAN VUUREN, C.R. PARRISH and U. TRUYEN 239–242

VAN WYNGAARDT, W.
Selection of an scFv phage antibody that recognizes bluetongue virus from a large synthetic library and its use in ELISAs to detect viral antigen and antibodies—W. VAN WYNGAARDT and D.H. DU PLESSIS 125–131

VENTER, E.H.
Antigenic and genetic analysis of canine parvoviruses in southern Africa—A. STEINEL, E.H. VENTER, M. VAN VUUREN, C.R. PARRISH and U. TRUYEN 239–242

VILJOEN, G.J.
Detection of African horsesickness virus and discrimination between two equine orbivirus serogroups by reverse transcription polymerase chain reaction—C.W. BREMER and G.J. VILJOEN 1–8

VLEGGAAR, R.
Krimpsiekte in a sheep following a single dose of *Tylecodon ventricosus* (Burm. f.) Toelken and the isolation of tyledoside D from this plant species—C.J. BOTHA, T.S. KELLERMAN, R. ANITRA SCHULTZ, G.L. ERASMUS, R. VLEGGAAR and ELIZABETH RETIEF 17–23

WESSELS, J.C.
Light and electron microscopical observations on the terminal airways and alveoli of the lung of the SA (Cape) fur seal *Arctocephalus pusillus*—J.C. WESSELS and C.C. CHASE 253–262

YONOW, T.
Models for heartwater epidemiology: Practical implications and suggestions for future research—T. YONOW, C.C. BREWSTER, J.C. ALLEN and M.I. MELTZER 263–273

ZIEGER, U.
Dynamics of free-living ixodid ticks on a game ranch in the Central Province, Zambia—U. ZIEGER, I.G. HORAK and A.E. CAULDWELL 49–59

Ixodid tick infestations of wild birds and mammals on a game ranch in Central Province, Zambia—U. ZIEGER, I.G. HORAK, A.E. CAULDWELL and A.C. UYS 113–124

Helminths and bot fly larvae of wild ungulates on a game ranch in Central Province, Zambia—U. ZIEGER, J. BOOMKER, A.E. CAULDWELL and I.G. HORAK 137–141

ONDERSTEPOORT JOURNAL OF VETERINARY RESEARCH

Volume 65 • Numbers 1–4 • 1998

Subject index

Absence of clinical disease
The absence of clinical disease in cattle in communal grazing areas where farmers are changing from an intensive dipping programme to one of endemic stability to tick-borne disease—G.A. TICE, N.R. BRYSON, C.G. STEWART, B. DU PLESSIS and D.T. DE WAAL 169–175

Aepyceros melampus
Distribution of endocrine cells in the gut of the impala (*Aepyceros melampus*)—J.H. SCHOEMAN, V. DE VOS and G. VAN ASWEGEN 31–35

African horsesickness virus
Detection of African horsesickness virus and discrimination between two equine orbivirus serogroups by reverse transcription polymerase chain reaction—C.W. BREMER and G.J. VILJOEN 1–8

Protein aggregation complicates the development of baculovirus-expressed African horsesickness virus serotype 5 VP2 subunit vaccines—M. DU PLESSIS, M. CLOETE, H. AITCHISON and A.A. VAN DIJK 321–329

African monogenean gyrodactylid
The African monogenean gyrodactylid genus *Macrogyrodactylus* Malmberg, 1957, and the reporting of three species of the genus on *Clarias gariepinus* in South Africa—L.F. KHALIL and S.N. MASHEGO 223–231

African rhinoceroses
Three new species of ciliated Protozoa from the hindgut of both white and black wild African rhinoceroses—W. VAN HOVEN, FRANCES M.C. GILCHRIST, H. LIEBENBERG and C.F. VAN DER MERWE 87–95

Amblyomma hebraeum
Immunization of rabbits with *Amblyomma hebraeum* nymphal homogenates and implications for the host amplification system—S.D. TEMBO 97–103

Amplification system
Immunization of rabbits with *Amblyomma hebraeum* nymphal homogenates and implications for the host amplification system—S.D. TEMBO 97–103

Anaplasma
Observations on the use of *Anaplasma centrale* for immunization of cattle against anaplasmosis in Zimbabwe—J.A. TURTON, T.C. KATSANDE, M.B. MATINGO, W.K. JORGENSEN, U. USHEWOKUNZE-OBATOLU and R.J. DALGLEISH 81–86

Anaplasma centrale
Observations on the use of *Anaplasma centrale* for immunization of cattle against anaplasmosis in Zimbabwe—J.A. TURTON, T.C. KATSANDE, M.B. MATINGO, W.K. JORGENSEN, U. USHEWOKUNZE-OBATOLU and R.J. DALGLEISH 81–86

Anaplasmosis
Observations on the use of *Anaplasma centrale* for immunization of cattle against anaplasmosis in Zimbabwe—J.A. TURTON, T.C. KATSANDE, M.B. MATINGO, W.K. JORGENSEN, U. USHEWOKUNZE-OBATOLU and R.J. DALGLEISH 81–86

Arctocephalus pusillus
Light and electron microscopical observations on the terminal airways and alveoli of the lung of the SA (Cape) fur seal *Arctocephalus pusillus*—J.C. WESSELS and C.C. CHASE 253–262

Auxotrophic
The production of an auxotrophic marked, plasmid-cured *Salmonella* ser. Typhimurium as a live attenuated vaccine—MARTHA L. VAN DER WALT and A.S. GREEFF 213–220

Avaritia
Morphological confirmation of the separate species status of *Culicoides (Avaritia) nudipalpis* Delfinado, 1961 and C. *(A.) imicola* Kieffer, 1913 (Diptera: Ceratopogonidae)—R. MEISWINKEL and M. BAYLIS 9–16

Babesia/babesiosis
Isolation and characterization of a *Babesia* species from *Rhipicephalus evertsi evertsi* ticks picked off a sable antelope (*Hippotragus niger*) which died of acute babesiosis—T. HOVE, N. SITHOLE, D. MUNODZANA and S. MASAKA 75–80

Baculovirus
Protein aggregation complicates the development of baculovirus-expressed African horsesickness virus serotype 5 VP2 subunit vaccines—M. DU PLESSIS, M. CLOETE, H. AITCHISON and A.A. VAN DIJK 321–329

Besnoitiosis
An epidemic of Besnoitiosis in cattle in Kenya—A.N. NJAGI, C.M. NDARATHI, P.N. NYAGA and L..K. MUNGA 133–136

Biochemical values
Serum biochemical values of farmed ostrich (*Struthio camelus*) in Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, J.F.W. ISA and L. MODISA 189–193

Birds
Ixodid tick infestations of wild birds and mammals on a game ranch in Central Province, Zambia—U. ZIEGER, I.G. HORAK, A.E. CAULDWELL and A.C. UYS 113–124

Bluetongue
Selection of an scFv phage antibody that recognizes bluetongue virus from a large synthetic library and its use in ELISAs to detect viral antigen and antibodies—W. VAN WYNGAARDT and D.H. DU PLESSIS 125–131

Some epidemiological and economic aspects of a bluetongue-like disease in cattle in South Africa—1995/96 and 1997—B.J.H. BARNARD, G.H. GERDES and R. MEISWINKEL 145–151

A study on bluetongue virus infection in Saudi Arabia using sentinel ruminants—E.M.E. ABU ELZEIN, H. AITCHISON, A.I. AL-AFALEQ, A.M. AL-BASHIR, A.O. IBRAHIM and F.M.T. HOUSAWI 243–251

Bluetongue virus
Selection of an scFv phage antibody that recognizes bluetongue virus from a large synthetic library and its use in ELISAs to detect viral antigen and antibodies—W. VAN WYNGAARDT and D.H. DU PLESSIS 125–131

A study on bluetongue virus infection in Saudi Arabia using sentinel ruminants—E.M.E. ABU ELZEIN, H. AITCHISON, A.I. AL-AFALEQ, A.M. AL-BASHIR, A.O. IBRAHIM and F.M.T. HOUSAWI 243–251

Bluetongue-like disease
Some epidemiological and economic aspects of a bluetongue-like disease in cattle in South Africa—1995/96 and 1997—B.J.H. BARNARD, G.H. GERDES and R. MEISWINKEL 145–151

Bontebok
Parasites of domestic and wild animals in South Africa. XXXV. Ixodid ticks and bot fly larvae in the Bontebok National Park—I.G. HORAK and J. BOOMKER 205–211

Bontebok National Park
Parasites of domestic and wild animals in South Africa. XXXV. Ixodid ticks and bot fly larvae in the Bontebok National Park—I.G. HORAK and J. BOOMKER 205–211

Bot fly larvae
Helminths and bot fly larvae of wild ungulates on a game ranch in Central Province, Zambia—U. ZIEGER, J. BOOMKER, A.E. CAULDWELL and I.G. HORAK 137–141

Parasites of domestic and wild animals in South Africa. XXXV. Ixodid ticks and bot fly larvae in the Bontebok National Park—I.G. HORAK and J. BOOMKER 205–211

Botshabelo
Epidemiology of tick-borne diseases of cattle in Botshabelo and Thaba Nchu in the Free State Province—KARIN DREYER, L.J. FOURIE and D.J. KOK 285–289

Botswana
Serum biochemical values of farmed ostrich (*Struthio camelus*) in Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, J.F.W. ISA and L. MODISA 189–193

Coccidia oocysts in the faeces of farmed ostrich (*Struthio camelus*) chicks in Botswana—E.Z. MUSHI, J.F.W. ISA, R.G. CHABO, M.G. BINTA, R.W. KAPAATA, R.T. NDEBELE and K.C. CHAKALISA 281–284

Bovine
The clinical efficacy of enrofloxacin in the treatment of experimental bovine pneumonic pasteurellosis—P.N. THOMPSON, S.R. VAN AMSTEL and M. HENTON 105–112

Canine parvovirus
Antigenic and genetic analysis of canine parvoviruses in southern Africa—A. STEINEL, E.H. VENTER, M. VAN VUUREN, C.R. PARRISH and U. TRUYEN 239–242

Cape fur seal
Light and electron microscopical observations on the terminal airways and alveoli of the lung of the SA (Cape) fur seal *Arctocephalus pusillus*—J.C. WESSELS and C.C. CHASE 253–262

Cardiac glycoside intoxication
Suspected cardiac glycoside intoxication in sheep and goats in Namibia due to *Ornithogalum nanodes* (Leighton)—C. BAMHARE 25–30

Cattle
Observations on the use of *Anaplasma centrale* for immunization of cattle against anaplasmosis in Zimbabwe—J.A. TURTON, T.C. KATSANDE, M.B. MATINGO, W.K. JORGENSEN, U. USHEWOKUNZE-OBATOLU and R.J. DALGLEISH 81–86

An epidemic of Besnoitiosis in cattle in Kenya—A.N. NJAGI, C.M. NDARATHI, P.N. NYAGA and L..K. MUNGA 133–136

Some epidemiological and economic aspects of a bluetongue-like disease in cattle in South Africa—1995/96 and 1997—B.J.H. BARNARD, G.H. GERDES and R. MEISWINKEL 145–151

The absence of clinical disease in cattle in communal grazing areas where farmers are changing from an intensive dipping programme to one of endemic stability to tick-borne disease—G.A. TICE, N.R. BRYSON, C.G. STEWART, B. DU PLESSIS and D.T. DE WAAL 169–175

The efficacy of used engine oil against ticks on cattle—KARIN DREYER, L.J. FOURIE and D.J. KOK 275–279

Epidemiology of tick-borne diseases of cattle in Botshabelo and Thaba Nchu in the Free State Province—KARIN DREYER, L.J. FOURIE and D.J. KOK 285–289

Individual host variations in tick infestations of cattle in a resource-poor community—KARIN DREYER, L.J. FOURIE and D.J. KOK 291–296

Central Province
Dynamics of free-living ixodid ticks on a game ranch in the Central Province, Zambia—U. ZIEGER, I.G. HORAK and A.E. CAULDWELL 49–59

Ixodid tick infestations of wild birds and mammals on a game ranch in Central Province, Zambia—U. ZIEGER, I.G. HORAK, A.E. CAULDWELL and A.C. UYS 113–124

Helminths and bot fly larvae of wild ungulates on a game ranch in Central Province, Zambia—U. ZIEGER, J. BOOMKER, A.E. CAULDWELL and I.G. HORAK 137–141

Ceratopogonidae
Morphological confirmation of the separate species status of *Culicoides (Avaritia) nudipalpis* Delfinado, 1961 and C. *(A.) imicola* Kieffer, 1913 (Diptera: Ceratopogonidae)—R. MEISWINKEL and M. BAYLIS 9–16

Chicks
Coccidia oocysts in the faeces of farmed ostrich (Struthio camelus) chicks in Botswana—E.Z. MUSHI, J.F.W. ISA, R.G. CHABO, M.G. BINTA, R.W. KAPAATA, R.T. NDEBELE and K.C. CHAKALISA 281–284

Cichlid fishes
Pentastomid infections in cichlid fishes in the Kruger National Park and the description of the infective larva of *Subtriquetra rileyi* n. sp.—K. JUNKER, J. BOOMKER and D.G. BOOYSE 159–167

Clarias gariepinus
The African monogenean gyrodactylid genus *Macrogyrodactylus* Malmberg, 1957, and the reporting of three species of the genus on *Clarias gariepinus* in South Africa—L.F. KHALIL and S.N. MASHEGO 223–231

Coccidia oocysts
Coccidia oocysts in the faeces of farmed ostrich (*Struthio camelus*) chicks in Botswana—E.Z. MUSHI, J.F.W. ISA, R.G. CHABO, M.G. BINTA, R.W. KAPAATA, R.T. NDEBELE and K.C. CHAKALISA 281–284

Communal grazing areas
The absence of clinical disease in cattle in communal grazing areas where farmers are changing from an intensive dipping programme to one of endemic stability to tick-borne disease—G.A. TICE, N.R. BRYSON, C.G. STEWART, B. DU PLESSIS and D.T. DE WAAL 169–175

Community
Individual host variations in tick infestations of cattle in a resource-poor community—KARIN DREYER, L.J. FOURIE and D.J. KOK 291–296

Culicoides Avaritia nudipalpis
Morphological confirmation of the separate species status of *Culicoides* (*Avaritia*) *nudipalpis* Delfinado, 1961 and C. *(A.) imicola* Kieffer, 1913 (Diptera: Ceratopogonidae)—R. MEISWINKEL and M. BAYLIS 9–16

Diptera: Ceratopogonidae
Morphological confirmation of the separate species status of *Culicoides* (*Avaritia*) *nudipalpis* Delfinado, 1961 and C. (A.) *imicola* Kieffer, 1913 (Diptera: Ceratopogonidae)—R. MEISWINKEL and M. BAYLIS 9–16

Electron microscopical observations
Light and electron microscopical observations on the terminal airways and alveoli of the lung of the SA (Cape) fur seal *Arctocephalus pusillus*—J.C. WESSELS and C.C. CHASE 253–262

ELISA
Selection of an scFv phage antibody that recognizes bluetongue virus from a large synthetic library and its use in ELISAs to detect viral antigen and antibodies—W. VAN WYNGAARDT and D.H. DU PLESSIS 125–131

Endemic stability
The absence of clinical disease in cattle in communal grazing areas where farmers are changing from an intensive dipping programme to one of endemic stability to tick-borne disease—G.A. TICE, N.R. BRYSON, C.G. STEWART, B. DU PLESSIS and D.T. DE WAAL 169–175

Endocrine cells
Distribution of endocrine cells in the gut of the impala (*Aepyceros melampus*)—J.H. SCHOEMAN, V. DE VOS and G. VAN ASWEGEN 31–35

Engine oil
The efficacy of used engine oil against ticks on cattle—KARIN DREYER, L.J. FOURIE and D.J. KOK 275–279

Enrofloxacin
The clinical efficacy of enrofloxacin in the treatment of experimental bovine pneumonic pasteurellosis—P.N. THOMPSON, S.R. VAN AMSTEL and M. HENTON 105–112

Epidemiology
Models for heartwater epidemiology: Practical implications and suggestions for future research—T. YONOW, C.C. BREWSTER, J.C. ALLEN and M.I. MELTZER 263–273

Epidemiology of tick-borne diseases of cattle in Botshabelo and Thaba Nchu in the Free State Province—KARIN DREYER, L.J. FOURIE and D.J. KOK 285–289

Equine orbivirus
Detection of African horsesickness virus and discrimination between two equine orbivirus serogroups by reverse transcription polymerase chain reaction—C.W. BREMER and G.J. VILJOEN 1–8

Farmers
The absence of clinical disease in cattle in communal grazing areas where farmers are changing from an intensive dipping programme to one of endemic stability to tick-borne disease—G.A. TICE, N.R. BRYSON, C.G. STEWART, B. DU PLESSIS and D.T. DE WAAL 169–175

Foot-and-mouth disease
Detection and characterization of foot-and-mouth disease virus in sub-Saharan Africa—A.D.S. BASTOS 37–47

Fosfomycin
Correlation between ability of *Ornithobacterium rhinotracheale* to agglutinate red blood cells and susceptibility to fosfomycin—S.L. FITZGERALD, J.M. GREYLING and R.R. BRAGG 317–324

Fowl typhoid
Comparison of immune responses of two *Salmonella gallinarum* strains viewed as possible vaccines for fowl typhoid in Kenya—LILLY C. BEBORA, P.N. NYAGA and C.O. KIMORO 67–73

Free-living ixodid ticks
Dynamics of free-living ixodid ticks on a game ranch in the Central Province, Zambia—U. ZIEGER, I.G. HORAK and A.E. CAULDWELL 49–59

Free State Province
Epidemiology of tick-borne diseases of cattle in Botshabelo and Thaba Nchu in the Free State Province—KARIN DREYER, L.J. FOURIE and D.J. KOK 285–289

Tick diversity, abundance and seasonal dynamics in a resource-poor urban environment in the Free State Province—KARIN DREYER, G.J. FOURIE and D.J. KOK 305–316

Gekkonidae
Spauligodon limbavatiensis n. sp. (Nematoda: Pharyngodonidae) from *Pachydactylus ilurneri* (Sauria: Gekkonidae) in the Northern Province, South Africa—S.F.B.N. HERING-HAGENBECK and J. BOOMKER 153–158

Goats
Suspected cardiac glycoside intoxication in sheep and goats in Namibia due to *Ornithogalum nanodes* (Leighton)—C. BAMHARE 25–30

Heartwater
The distribution of heartwater in the highveld of Zimbabwe, 1980–1997—T.F. PETER, B.D. PERRY, C.J. O'CALLAGHAN, G.F. MEDLEY, W. SHUMBA, W. MADZIMA, M.J. BURRIDGE and S.M. MAHAN 177–187

Models for heartwater epidemiology: Practical implications and suggestions for future research—T. YONOW, C.C. BREWSTER, J.C. ALLEN and M.I. MELTZER 263–273

Helminths
Helminths and bot fly larvae of wild ungulates on a game ranch in Central Province, Zambia—U. ZIEGER, J. BOOMKER, A.E. CAULDWELL and I.G. HORAK 137–141

Hindgut
Three new species of ciliated Protozoa from the hindgut of both white and black wild African rhinoceroses—W. VAN HOVEN, FRANCES M.C. GILCHRIST, H. LIEBENBERG and C.F. VAN DER MERWE 87–95

Hippotragus niger
Isolation and characterization of a *Babesia* species from *Rhipicephalus evertsi evertsi* ticks picked off a sable antelope (*Hippotragus niger*) which died of acute babesiosis—T. HOVE, N. SITHOLE, D. MUNODZANA and S. MASAKA 75–80

Host variation
Individual host variations in tick infestations of cattle in a resource-poor community—KARIN DREYER, L.J. FOURIE and D.J. KOK 291–296

***Imicola* Kieffer**
Morphological confirmation of the separate species status of *Culicoides (Avaritia) nudipalpis* Delfinado, 1961 and C. *(A.) imicola* Kieffer, 1913 (Diptera: Ceratopogonidae)—R. MEISWINKEL and M. BAYLIS 9–16

Immune response
Comparison of immune responses of two *Salmonella gallinarum* strains viewed as possible vaccines for fowl typhoid in Kenya—LILLY C. BEBORA, P.N. NYAGA and C.O. KIMORO 67–73

Immunization
Observations on the use of *Anaplasma centrale* for immunization of cattle against anaplasmosis in Zimbabwe—J.A. TURTON, T.C. KATSANDE, M.B. MATINGO, W.K. JORGENSEN, U. USHEWOKUNZE-OBATOLU and R.J.DALGLEISH 81–86

Immunization of rabbits with *Amblyomma hebraeum* nymhal homogenates and implications for the host amplification system—S.D. TEMBO 97–103

Impala
Distribution of endocrine cells in the gut of the impala (*Aepyceros melampus*)—J.H. SCHOEMAN, V. DE VOS and G. VAN ASWEGEN 31–35

Ixodid ticks
Dynamics of free-living ixodid ticks on a game ranch in the Central Province, Zambia—U. ZIEGER, I.G. HORAK and A.E. CAULDWELL 49–59

Parasites of domestic and wild animals in South Africa. XXXV. Ixodid ticks and bot fly larvae in the Bontebok National Park—I.G. HORAK and J. BOOMKER 205–211

Kenya
An epidemic of Besnoitiosis in cattle in Kenya—A.N. NJAGI, C.M. NDARATHI, P.N. NYAGA and L..K. MUNGA 133–136

Krimpsiekte
Krimpsiekte in a sheep following a single dose of *Tylecodon ventricosus* (Burm. f.) Toelken and the isolation of tyledoside D from this plant species—C.J. BOTHA, T.S. KELLERMAN, R. ANITRA SCHULTZ, G.L. ERASMUS, R. VLEGGAAR and ELIZABETH RETIEF 17–23

Kruger National Park
Pentastomid infections in cichlid fishes in the Kruger National Park and the description of the infective larva of *Subtriquetra rileyi* n. sp.—K. JUNKER, J. BOOMKER and D.G. BOOYSE 159–167

Larva
Helminths and bot fly larvae of wild ungulates on a game ranch in Central Province, Zambia—U. ZIEGER, J. BOOMKER, A.E. CAULDWELL and I.G. HORAK 137–141

Pentastomid infections in cichlid fishes in the Kruger National Park and the description of the infective larva of *Subtriquetra rileyi* n. sp.—K. JUNKER, J. BOOMKER and D.G. BOOYSE 159–167

Parasites of domestic and wild animals in South Africa. XXXV. Ixodid ticks and bot fly larvae in the Bontebok National Park—I.G. HORAK and J. BOOMKER 205–211

Life-cycle
Experimental studies on the life-cycle of *Sebekia wedli* (Pentastomida: Sebekidae)—K. JUNKER, J. BOOMKER and D.G. BOOYSE 233–237

Macrogyrodactylus
The African monogenean gyrodactylid genus *Macrogyrodactylus* Malmberg, 1957, and the reporting of three species of the genus on *Clarias gariepinus* in South Africa—L.F. KHALIL and S.N. MASHEGO 223–231

Namibia
Suspected cardiac glycoside intoxication in sheep and goats in Namibia due to *Ornithogalum nanodes* (Leighton)—C. BAMHARE 25–30

Nematoda
Spauligodon timbavatiensis n. sp. (Nematoda: Pharyngodonidae) from *Pachydactylus turneri* (Sauria: Gekkonidae) in the Northern Province, South Africa—S.F.B.N. HERING-HAGENBECK and J. BOOMKER 153–158

***Nudipalpis* Delfinado**
Morphological confirmation of the separate species status of *Culicoides* (*Avaritia*) *nudipalpis* Delfinado, 1961 and *C.* (*A.*) *imicola* Kieffer, 1913 (Diptera: Ceratopogonidae)—R. MEISWINKEL and M. BAYLIS 9–16

Ornithobacterium rhinotracheale
Correlation between ability of *Ornithobacterium rhinotracheale* to agglutinate red blood cells and susceptibility to fosfomycin—S.L. FITZGERALD, J.M. GREYLING and R.R. BRAGG 317–324

Ornithogalum nanodes
Suspected cardiac glycoside intoxication in sheep and goats in Namibia due to *Ornithogalum nanodes* (Leighton)—C. BAMHARE 25–30

Ostrich
Serum biochemical values of farmed ostrich (*Struthio camelus*) in Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, J.F.W. ISA and L. MODISA 189–193

Coccidia oocysts in the faeces of farmed ostrich (*Struthio camelus*) chicks in Botswana—E.Z. MUSHI, J.F.W. ISA, R.G. CHABO, M.G. BINTA, R.W. KAPAATA, R.T. NDEBELE and K.C. CHAKALISA 281–284

Parasites
Parasites of domestic and wild animals in South Africa. XXXV. Ixodid ticks and bot fly larvae in the Bontebok National Park—I.G. HORAK and J. BOOMKER 205–211

Pentastomid infections
Pentastomid infections in cichlid fishes in the Kruger National Park and the description of the infective larva of *Subtriquetra rileyi* n. sp.—K. JUNKER, J. BOOMKER and D.G. BOOYSE 159–167

Pentastomida: Sebekidae
Experimental studies on the life-cycle of *Sebekia wedli* (Pentastomida: Sebekidae)—K. JUNKER, J. BOOMKER and D.G. BOOYSE 233–237

Pharyngodonidae
Spauligodon timbavatiensis n. sp. (Nematoda: Pharyngodonidae) from *Pachydactylus turneri* (Sauria: Gekkonidae) in the Northern Province, South Africa—S.F.B.N. HERING-HAGENBECK and J. BOOMKER 153–158

Pneumonic pasteurellosis
The clinical efficacy of enrofloxacin in the treatment of experimental bovine pneumonic pasteurellosis—P.N. THOMPSON, S.R. VAN AMSTEL and M. HENTON 105–112

Polymerase chain reaction (PCR)
Detection of African horsesickness virus and discrimination between two equine orbivirus serogroups by reverse transcription polymerase chain reaction—C.W. BREMER and G.J. VILJOEN 1–8

A nucleotide-specific polymerase chain reaction assay to differentiate rabies virus biotypes in South Africa—L.H. NEL, J. BINGHAM, J.A. JACOBS and J.B. JAFTHA 297–303

Protozoa
Three new species of ciliated Protozoa from the hindgut of both white and black wild African rhinoceroses—W. VAN HOVEN, FRANCES M.C. GILCHRIST, H. LIEBENBERG and C.F. VAN DER MERWE 87–95

Rabies virus biotypes
A nucleotide-specific polymerase chain reaction assay to differentiate rabies virus biotypes in South Africa—L.H. NEL, J. BINGHAM, J.A. JACOBS and J.B. JAFTHA 297–303

Rabbits
Immunization of rabbits with *Amblyomma hebraeum* nymhal homogenates and implications for the host amplification system—S.D. TEMBO 97–103

Red blood cells
Correlation between ability of *Ornithobacterium rhinotracheale* to agglutinate red blood cells and susceptibility to fosfomycin—S.L. FITZGERALD, J.M. GREYLING and R.R. BRAGG 317–324

Rhinoceros
Three new species of ciliated Protozoa from the hindgut of both white and black wild African rhinoceroses—W. VAN HOVEN, FRANCES M.C. GILCHRIST, H. LIEBENBERG and C.F. VAN DER MERWE 87–95

Rhipicephalus evertsi evertsi
Isolation and characterization of a *Babesia* species from *Rhipicephalus evertsi evertsi* ticks picked off a sable antelope (*Hippotragus niger*) which died of acute babesiosis—T. HOVE, N. SITHOLE, D. MUNODZANA and S. MASAKA 75–80

Sable antelope
Isolation and characterization of a *Babesia* species from *Rhipicephalus evertsi evertsi* ticks picked off a sable antelope (*Hippotragus niger*) which died of acute babesiosis—T. HOVE, N. SITHOLE, D. MUNODZANA and S. MASAKA 75–80

***Salmonella* ser. Typhimurium**
The production of an auxotrophic marked, plasmid-cured *Salmonella* ser. Typhimurium as a live attenuated vaccine—MARTHA L. VAN DER WALT and A.S. GREEFF 213–220

Salmonella gallinarum
Comparison of immune responses of two *Salmonella gallinarum* strains viewed as possible vaccines for fowl typhoid in Kenya—LILLY C. BEBORA, P.N. NYAGA and C.O. KIMORO 67–73

Saudi Arabia
A study on bluetongue virus infection in Saudi Arabia using sentinel ruminants—E.M.E. ABU ELZEIN, H. AITCHISON, A.I. AL-AFALEQ, A.M. AL-BASHIR, A.O. IBRAHIM and F.M.T. HOUSAWI 243–251

Seasonal dynamics
Tick diversity, abundance and seasonal dynamics in a resource-poor urban environment in the Free State Province—KARIN DRYER, G.J. FOURIE and D.J. KOK 305–316

Sebekia wedli
Experimental studies on the life-cycle of *Sebekia wedli* (Pentastomida: Sebekidae)—K. JUNKER, J. BOOMKER and D.G. BOOYSE 233–237

Sebekidae
Experimental studies on the life-cycle of *Sebekia wedli* (Pentastomida: Sebekidae)—K. JUNKER, J. BOOMKER and D.G. BOOYSE 233–237

Serum
Serum biochemical values of farmed ostrich (*Struthio camelus*) in Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, J.F.W. ISA and L. MODISA 189–193

Sheep
Krimpsiekte in a sheep following a single dose of *Tylecodon ventricosus* (Burm. f.) Toelken and the isolation of tyledoside D from this plant species—C.J. BOTHA, T.S. KELLERMAN, R. ANITRA SCHULTZ, G.L. ERASMUS, R. VLEGGAAR and ELIZABETH RETIEF 17–23

Suspected cardiac glycoside intoxication in sheep and goats in Namibia due to *Ornithogalum nanodes* (Leighton)—C. BAMHARE 25–30

South Africa
Some epidemiological and economic aspects of a bluetongue-like disease in cattle in South Africa—1995/96 and 1997—B.J.H. BARNARD, G.H. GERDES and R. MEISWINKEL 145–151

Spauligodon timbavatiensis n. sp. (Nematoda: Pharyngodonidae) from *Pachydactylus iturneri* (Sauria: Gekkonidae) in the Northern Province, South Africa—S.F.B.N. HERING-HAGENBECK and J. BOOMKER 153–158

Review of tsetse flies and trypanosomosis in South Africa—KARIN KAPPMEIER, E.M. NEVILL and R.J. BAGNALL 195–203

Parasites of domestic and wild animals in South Africa. XXXV. Ixodid ticks and bot fly larvae in the Bontebok National Park—I.G. HORAK and J. BOOMKER 205–211

The African monogenean gyrodactylid genus *Macrogyrodactylus* Malmberg, 1957, and the reporting of three species of the genus on *Clarias gariepinus* in South Africa—L.F. KHALIL and S.N. MASHEGO 223–231

Light and electron microscopical observations on the terminal airways and alveoli of the lung of the SA (Cape) fur seal *Arctocephalus pusillus* —J.C. WESSELS and C.C. CHASE 253–262

A nucleotide-specific polymerase chain reaction assay to differentiate rabies virus biotypes in South Africa—L.H. NEL J. BINGHAM, J.A. JACOBS and J.B. JAFTHA 297–303

Southern Africa
Antigenic and genetic analysis of canine parvoviruses in southern Africa—A. STEINEL, E.H. VENTER, M. VAN VUUREN, C.R. PARRISH and U. TRUYEN 239–242

Spauligodon timbavatiensis n. sp.
Spauligodon timbavatiensis n. sp. (Nematoda: Pharyngodonidae) from _Pachydactylus ituneri_ (Sauria: Gekkonidae) in the Northern Province, South Africa—S.F.B.N. HERING-HAGENBECK and J. BOOMKER 153–158

Strain
Comparison of immune responses of two _Salmonella gallinarum_ strains viewed as possible vaccines for fowl typhoid in Kenya—LILLY C. BEBORA, P.N. NYAGA and C.O. KIMORO 67–73

Struthio camelus
Serum biochemical values of farmed ostrich (_Struthio camelus_) in Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, J.F.W. ISA and L. MODISA 189–193

Coccidia oocysts in the faeces of farmed ostrich (_Struthio camelus_) chicks in Botswana—E.Z. MUSHI, J.F.W. ISA, R.G. CHABO, M.G. BINTA, R.W. KAPAATA, R.T. NDEBELE and K.C. CHAKALISA 281–284

Sub-Saharan Africa
Detection and characterization of foot-and-mouth disease virus in sub-Saharan Africa—A.D.S. BASTOS 37–47

Subtriquetra rileyi
Pentastomid infections in cichlid fishes in the Kruger National Park and the description of the infective larva of _Subtriquetra rileyi_ n. sp.—K. JUNKER, J. BOOMKER and D.G. BOOYSE 159–167

Synthetic library
Selection of an scFv phage antibody that recognizes bluetongue virus from a large synthetic library and its use in ELISAs to detect viral antigen and antibodies—W. VAN WYNGAARDT and D.H. DU PLESSIS 125–131

Terminal airways
Light and electron microscopical observations on the terminal airways and alveoli of the lung of the SA (Cape) fur seal _Arctocephalus pusillus_—J.C. WESSELS and C.C. CHASE 253–262

Thaba Nchu
Epidemiology of tick-borne diseases of cattle in Botshabelo and Thaba Nchu in the Free State Province—KARIN DREYER, L.J. FOURIE and D.J. KOK 285–289

Tick diversity
Tick diversity, abundance and seasonal dynamics in a resource-poor urban environment in the Free State Province—KARIN DRYER, G.J. FOURIE and D.J. KOK 305–316

Tick-borne disease
Epidemiology of tick-borne diseases of cattle in Botshabelo and Thaba Nchu in the Free State Province—KARIN DREYER, L.J. FOURIE and D.J. KOK 285–289

The absence of clinical disease in cattle in communal grazing areas where farmers are changing from an intensive dipping programme to one of endemic stability to tick-borne disease—G.A. TICE, N.R. BRYSON, C.G. STEWART, B. DU PLESSIS and D.T. DE WAAL 169–175

Tick infestations
Ixodid tick infestations of wild birds and mammals on a game ranch in Central Province, Zambia—U. ZIEGER, I.G. HORAK, A.E. CAULDWELL and A.C. UYS 113–124

Individual host variations in tick infestations of cattle in a resource-poor community—KARIN DREYER, L.J. FOURIE and D.J. KOK 291–296

Trypanosomosis
Review of tsetse flies and trypanosomosis in South Africa—KARIN KAPPMEIER, E.M. NEVILL and R.J. BAGNALL 195–203

Tsetse flies
Review of tsetse flies and trypanosomosis in South Africa—KARIN KAPPMEIER, E.M. NEVILL and R.J. BAGNALL 195–203

Tylecodon ventricosus
Krimpsiekte in a sheep following a single dose of _Tylecodon ventricosus_ (Burm. f.) Toelken and the isolation of tyledoside D from this plant species—C.J. BOTHA, T.S. KELLERMAN, R. ANITRA SCHULTZ, G.L. ERASMUS, R. VLEGGAAR and ELIZABETH RETIEF 17–23

Tyledoside D
Krimpsiekte in a sheep following a single dose of _Tylecodon ventricosus_ (Burm. f.) Toelken and the isolation of tyledoside D from this plant species—C.J. BOTHA, T.S. KELLERMAN, R. ANITRA SCHULTZ, G.L. ERASMUS, R. VLEGGAAR and ELIZABETH RETIEF 17–23

Ungulates
Helminths and bot fly larvae of wild ungulates on a game ranch in Central Province, Zambia—U. ZIEGER, J. BOOMKER, A.E. CAULDWELL and I.G. HORAK 137–141

Urban environment
Tick diversity, abundance and seasonal dynamics in a resource-poor urban environment in the Free State Province—KARIN DRYER, G.J. FOURIE and D.J. KOK 305–316

Used engine oil
The efficacy of used engine oil against ticks on cattle—KARIN DREYER, L.J. FOURIE and D.J. KOK 275–279

Vaccines
Comparison of immune responses of two *Salmonella gallinarum* strains viewed as possible vaccines for fowl typhoid in Kenya—LILLY C. BEBORA, P.N. NYAGA and C.O. KIMORO 67–73

Protein aggregation complicates the development of baculovirus-expressed African horsesickness virus serotype 5 VP2 subunit vaccines—M. DU PLESSIS, M. CLOETE, H. AITCHISON and A.A. VAN DIJK 321–329

Viruses
Antigenic and genetic analysis of canine parvoviruses in southern Africa—A. STEINEL, E.H. VENTER, M. VAN VUUREN, C.R. PARRISH and U. TRUYEN 239–242

Zambia
Dynamics of free-living ixodid ticks on a game ranch in the Central Province, Zambia—U. ZIEGER, I.G. HORAK and A.E. CAULDWELL 49–59

Ixodid tick infestations of wild birds and mammals on a game ranch in Central Province, Zambia—U. ZIEGER, I.G. HORAK, A.E. CAULDWELL and A.C. UYS 113–124

Helminths and bot fly larvae of wild ungulates on a game ranch in Central Province, Zambia—U. ZIEGER, J. BOOMKER, A.E. CAULDWELL and I.G. HORAK 137–141

Zimbabwe
Observations on the use of *Anaplasma centrale* for immunization of cattle against anaplasmosis in Zimbabwe—J.A. TURTON, T.C. KATSANDE, M.B. MATINGO, W.K. JORGENSEN, U. USHEWOKUNZE-OBATOLU and R.J. DALGLEISH 81–86

The distribution of heartwater in the highveld of Zimbabwe, 1980–1997—T.F. PETER, B.D. PERRY, C.J. O'CALLAGHAN, G.F. MEDLEY, W. SHUMBA, W. MADZIMA, M.J. BURRIDGE and S.M. MAHAN 177–187